

sessions

Column	Type	Null	Default	Comments
ID	int(11)	No		
SessionID	char(26)	Yes	<i>NULL</i>	
Data	text	Yes	<i>NULL</i>	
DateTouched	int(11)	Yes	<i>NULL</i>	

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	ID	2	A	No	

tblcontacts

Column	Type	Null	Default	Comments
f_rn	bigint(20)	No		
cn_cust_supplier	char(10)	Yes	<i>NULL</i>	
cn_rn	bigint(20)	No	0	
cn_name	char(50)	Yes	<i>NULL</i>	
cn_phone	char(30)	Yes	<i>NULL</i>	
cn_mobile	char(30)	Yes	<i>NULL</i>	
cn_email	char(150)	Yes	<i>NULL</i>	

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	f_rn	2	A	No	

tblcredits_d

Column	Type	Null	Default	Comments
f_rn	bigint(20)	No		
cd_credit_rn	bigint(20)	Yes	<i>NULL</i>	
cd_line_num	int(11)	Yes	<i>NULL</i>	
cd_salesd_rn	bigint(20)	No	0	
cd_code	char(25)	Yes	<i>NULL</i>	
cd_desc1	char(75)	Yes	<i>NULL</i>	

cd_desc2	char(75)	Yes	NULL	
cd_notes	text	Yes	NULL	
cd_qty	decimal(18,2)	Yes	NULL	
cd_each_price	decimal(18,2)	Yes	NULL	
cd_line_total	decimal(18,2)	Yes	NULL	
cd_return_stock	char(3)	Yes	NULL	
f_timestamp	timestamp	No	CURRENT_TIMESTAMP	

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	f_rn	1	A	No	

tblcredits_h

Column	Type	Null	Default	Comments
f_rn	bigint(20)	No		
ch_accno	char(20)	Yes	NULL	
ch_sales_rn	bigint(20)	Yes	NULL	
ch_invoice_rn	bigint(20)	Yes	0	
ch_name	char(50)	Yes	NULL	
ch_add1	char(50)	Yes	NULL	
ch_add2	char(50)	Yes	NULL	
ch_add3	char(50)	Yes	NULL	
ch_add4	char(50)	Yes	NULL	
ch_add5	char(50)	Yes	NULL	
ch_add6	char(50)	Yes	NULL	
ch_cust_ref	char(75)	Yes	NULL	
ch_date_raised	date	Yes	NULL	
ch_del_name	char(50)	Yes	NULL	
ch_del_add1	char(50)	Yes	NULL	
ch_del_add2	char(50)	Yes	NULL	
ch_del_add3	char(50)	Yes	NULL	
ch_del_add4	char(50)	Yes	NULL	
ch_del_add5	char(50)	Yes	NULL	
ch_del_add6	char(50)	Yes	NULL	
ch_internal_notes	text	Yes	NULL	
ch_external_notes	text	Yes	NULL	

ch_status	char(15)	Yes	NULL	
ch_vatcode	char(3)	Yes	NULL	
ch_vatper	decimal(18,2)	Yes	NULL	
ch_net	decimal(18,2)	Yes	NULL	
ch_vat	decimal(18,2)	Yes	NULL	
ch_total	decimal(18,2)	Yes	NULL	
f_timestamp	timestamp	No	CURRENT_TIMESTAMP	

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	f_rn	1	A	No	

tblcustomers

Column	Type	Null	Default	Comments
f_rn	bigint(20)	No		
cu_accno	char(20)	Yes	NULL	
cu_name	char(50)	Yes	NULL	
cu_add1	char(50)	Yes	NULL	
cu_add2	char(50)	Yes	NULL	
cu_add3	char(50)	Yes	NULL	
cu_add4	char(50)	Yes	NULL	
cu_add5	char(50)	Yes	NULL	
cu_add6	char(50)	Yes	NULL	
cu_telno	char(30)	Yes	NULL	
cu_faxno	char(30)	Yes	NULL	
cu_email	char(150)	Yes	NULL	
cu_vatcode	char(3)	Yes	NULL	
cu_notes	text	Yes	NULL	
f_timestamp	timestamp	No	CURRENT_TIMESTAMP	

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	f_rn	4	A	No	
cu_accno	BTREE	Yes	No	cu_accno	4	A	Yes	

tblcustpay

Column	Type	Null	Default	Comments
f_rn	bigint(20)	No		
cp_invoice_rn	bigint(20)	Yes	<i>NULL</i>	
cp_accno	char(20)	Yes	<i>NULL</i>	
cp_name	char(50)	Yes	<i>NULL</i>	
cp_cust_ref	char(75)	Yes	<i>NULL</i>	
cp_bank_ref	char(30)	Yes	<i>NULL</i>	
cp_date_raised	date	Yes	<i>NULL</i>	
cp_net	decimal(18,2)	No	0.00	
cp_vat	decimal(18,2)	No	0.00	
cp_vatper	decimal(18,2)	No	0.00	
cp_total	decimal(18,2)	Yes	<i>NULL</i>	
f_timestamp	timestamp	No	CURRENT_TIMESTAMP	
f_nom1	char(20)	Yes	<i>NULL</i>	
f_nom2	char(20)	Yes	<i>NULL</i>	
f_nom3	char(20)	Yes	<i>NULL</i>	
f_nom4	char(20)	Yes	<i>NULL</i>	
f_nom5	char(20)	Yes	<i>NULL</i>	
f_nom6	char(20)	Yes	<i>NULL</i>	
f_nom7	char(20)	Yes	<i>NULL</i>	
f_nom8	char(20)	Yes	<i>NULL</i>	
f_nom9	char(20)	Yes	<i>NULL</i>	
f_nom10	char(20)	Yes	<i>NULL</i>	
f_nom11	char(20)	Yes	<i>NULL</i>	
f_nom12	char(20)	Yes	<i>NULL</i>	
f_nom13	char(20)	Yes	<i>NULL</i>	
f_nom14	char(20)	Yes	<i>NULL</i>	
f_nom15	char(20)	Yes	<i>NULL</i>	
f_net1	decimal(18,2)	No	0.00	
f_net2	decimal(18,2)	No	0.00	
f_net3	decimal(18,2)	No	0.00	
f_net4	decimal(18,2)	No	0.00	
f_net5	decimal(18,2)	No	0.00	
f_net6	decimal(18,2)	No	0.00	
f_net7	decimal(18,2)	No	0.00	

f_net8	decimal(18,2)	No	0.00	
f_net9	decimal(18,2)	No	0.00	
f_net10	decimal(18,2)	No	0.00	
f_net11	decimal(18,2)	No	0.00	
f_net12	decimal(18,2)	No	0.00	
f_net13	decimal(18,2)	No	0.00	
f_net14	decimal(18,2)	No	0.00	
f_net15	decimal(18,2)	No	0.00	

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	f_rn	2	A	No	

tbldespatches_d

Column	Type	Null	Default	Comments
f_rn	bigint(20)	No		
dd_despatch_rn	bigint(20)	Yes	NULL	
dd_salesd_rn	bigint(20)	No	0	
dd_line_num	int(11)	Yes	NULL	
dd_code	char(25)	Yes	NULL	
dd_desc1	char(75)	Yes	NULL	
dd_desc2	char(75)	Yes	NULL	
dd_notes	text	Yes	NULL	
dd_qty	decimal(18,2)	Yes	NULL	
dd_each_price	decimal(18,2)	Yes	NULL	
dd_line_total	decimal(18,2)	Yes	NULL	
f_timestamp	timestamp	No	CURRENT_TIMESTAMP	

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	f_rn	2	A	No	

tbldespatches_h

Column	Type	Null	Default	Comments
f_rn	bigint(20)	No		

dh_accno	char(20)	Yes	NULL	
dh_sales_rn	bigint(20)	Yes	NULL	
dh_invoice_rn	bigint(20)	Yes	NULL	
dh_name	char(50)	Yes	NULL	
dh_add1	char(50)	Yes	NULL	
dh_add2	char(50)	Yes	NULL	
dh_add3	char(50)	Yes	NULL	
dh_add4	char(50)	Yes	NULL	
dh_add5	char(50)	Yes	NULL	
dh_add6	char(50)	Yes	NULL	
dh_cust_ref	char(75)	Yes	NULL	
dh_date_raised	date	Yes	NULL	
dh_del_name	char(50)	Yes	NULL	
dh_del_add1	char(50)	Yes	NULL	
dh_del_add2	char(50)	Yes	NULL	
dh_del_add3	char(50)	Yes	NULL	
dh_del_add4	char(50)	Yes	NULL	
dh_del_add5	char(50)	Yes	NULL	
dh_del_add6	char(50)	Yes	NULL	
dh_internal_notes	text	Yes	NULL	
dh_external_notes	text	Yes	NULL	
dh_status	char(15)	Yes	NULL	
dh_vatcode	char(3)	Yes	NULL	
dh_vatper	decimal(18,2)	Yes	NULL	
dh_nettt	decimal(18,2)	Yes	NULL	
dh_vat	decimal(18,2)	Yes	NULL	
dh_total	decimal(18,2)	Yes	NULL	
f_timestamp	timestamp	No	CURRENT_TIMESTAMP	

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	f_rn	2	A	No	

tblgrn_d

Column	Type	Null	Default	Comments
f_rn	bigint(20)	No		

gd_grnh_rn	bigint(20)	No	0	
gd_purchase_rn	bigint(20)	Yes	<i>NULL</i>	
gd_line_num	int(11)	Yes	<i>NULL</i>	
gd_sales_rn	bigint(20)	Yes	<i>NULL</i>	
gd_code	char(25)	Yes	<i>NULL</i>	
gd_desc1	char(75)	Yes	<i>NULL</i>	
gd_desc2	char(75)	Yes	<i>NULL</i>	
gd_notes	text	Yes	<i>NULL</i>	
gd_qty	decimal(18,2)	Yes	<i>NULL</i>	
gd_each_price	decimal(18,2)	Yes	<i>NULL</i>	
gd_line_total	decimal(18,2)	Yes	<i>NULL</i>	
f_timestamp	timestamp	No	CURRENT_TIMESTAMP	

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	f_rn	2	A	No	

tblgrn_h

Column	Type	Null	Default	Comments
f_rn	bigint(20)	No		
gh_purchase_rn	bigint(20)	No	0	
gh_accno	char(20)	Yes	<i>NULL</i>	
gh_name	char(50)	Yes	<i>NULL</i>	
gh_add1	char(50)	Yes	<i>NULL</i>	
gh_add2	char(50)	Yes	<i>NULL</i>	
gh_add3	char(50)	Yes	<i>NULL</i>	
gh_add4	char(50)	Yes	<i>NULL</i>	
gh_add5	char(50)	Yes	<i>NULL</i>	
gh_add6	char(50)	Yes	<i>NULL</i>	
gh_supp_ref	char(75)	Yes	<i>NULL</i>	
gh_date_raised	date	Yes	<i>NULL</i>	
gh_del_name	char(50)	Yes	<i>NULL</i>	
gh_del_add1	char(50)	Yes	<i>NULL</i>	
gh_del_add2	char(50)	Yes	<i>NULL</i>	
gh_del_add3	char(50)	Yes	<i>NULL</i>	
gh_del_add4	char(50)	Yes	<i>NULL</i>	

gh_del_add5	char(50)	Yes	NULL	
gh_del_add6	char(50)	Yes	NULL	
gh_internal_notes	text	Yes	NULL	
gh_external_notes	text	Yes	NULL	
gh_status	char(15)	Yes	NULL	
gh_vatcode	char(3)	Yes	NULL	
gh_vatper	decimal(18,2)	Yes	NULL	
gh_net	decimal(18,2)	Yes	NULL	
gh_vat	decimal(18,2)	Yes	NULL	
gh_total	decimal(18,2)	Yes	NULL	
gh_total_credit	decimal(18,2)	No	0.00	
gh_total_paid	decimal(18,2)	No	0.00	
gh_nom1	char(30)	Yes	NULL	
gh_nom2	char(30)	Yes	NULL	
gh_nom3	char(30)	Yes	NULL	
gh_nom4	char(30)	Yes	NULL	
gh_nom5	char(30)	Yes	NULL	
gh_nom_val1	decimal(18,2)	Yes	NULL	
gh_nom_val2	decimal(18,2)	Yes	NULL	
gh_nom_val3	decimal(18,2)	Yes	NULL	
gh_nom_val4	decimal(18,2)	Yes	NULL	
gh_nom_val5	decimal(18,2)	Yes	NULL	
f_timestamp	timestamp	No	CURRENT_TIMESTAMP	

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	f_rn	2	A	No	

tblinvoices_d

Column	Type	Null	Default	Comments
f_rn	bigint(20)	No		
id_invoice_rn	bigint(20)	Yes	NULL	
id_salesd_rn	bigint(20)	No	0	
id_line_num	int(11)	Yes	NULL	
id_code	char(25)	Yes	NULL	
id_desc1	char(75)	Yes	NULL	

id_desc2	char(75)	Yes	NULL	
id_notes	text	Yes	NULL	
id_qty	decimal(18,2)	Yes	NULL	
id_each_price	decimal(18,2)	Yes	NULL	
id_line_total	decimal(18,2)	Yes	NULL	
f_timestamp	timestamp	No	CURRENT_TIMESTAMP	

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	f_rn	2	A	No	

tblinvoices_h

Column	Type	Null	Default	Comments
f_rn	bigint(20)	No		
ih_accno	char(20)	Yes	NULL	
ih_sales_rn	bigint(20)	Yes	0	
ih_despatch_rn	bigint(20)	Yes	0	
ih_invoice_rn	bigint(20)	Yes	0	
ih_name	char(50)	Yes	NULL	
ih_add1	char(50)	Yes	NULL	
ih_add2	char(50)	Yes	NULL	
ih_add3	char(50)	Yes	NULL	
ih_add4	char(50)	Yes	NULL	
ih_add5	char(50)	Yes	NULL	
ih_add6	char(50)	Yes	NULL	
ih_cust_ref	char(75)	Yes	NULL	
ih_date_raised	date	Yes	NULL	
ih_del_name	char(50)	Yes	NULL	
ih_del_add1	char(50)	Yes	NULL	
ih_del_add2	char(50)	Yes	NULL	
ih_del_add3	char(50)	Yes	NULL	
ih_del_add4	char(50)	Yes	NULL	
ih_del_add5	char(50)	Yes	NULL	
ih_del_add6	char(50)	Yes	NULL	
ih_internal_notes	text	Yes	NULL	
ih_external_notes	text	Yes	NULL	

ih_status	char(15)	Yes	NULL	
ih_vatcode	char(3)	Yes	NULL	
ih_vatper	decimal(18,2)	Yes	NULL	
ih_net	decimal(18,2)	Yes	NULL	
ih_vat	decimal(18,2)	Yes	NULL	
ih_total	decimal(18,2)	Yes	NULL	
ih_total_credit	decimal(18,2)	No	0.00	
ih_total_paid	decimal(18,2)	Yes	0.00	
ih_nom1	char(30)	Yes	NULL	
ih_nom2	char(30)	Yes	NULL	
ih_nom3	char(30)	Yes	NULL	
ih_nom4	char(30)	Yes	NULL	
ih_nom5	char(30)	Yes	NULL	
ih_nom_val1	decimal(18,2)	Yes	NULL	
ih_nom_val2	decimal(18,2)	Yes	NULL	
ih_nom_val3	decimal(18,2)	Yes	NULL	
ih_nom_val4	decimal(18,2)	Yes	NULL	
ih_nom_val5	decimal(18,2)	Yes	NULL	
f_timestamp	timestamp	No	CURRENT_TIMESTAMP	

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	f_rn	3	A	No	

tblparams

Column	Type	Null	Default	Comments
f_rn	bigint(20)	No		
pa_vatcode1	char(15)	Yes	NULL	
pa_vatcode2	char(15)	Yes	NULL	
pa_vatcode3	char(15)	Yes	NULL	
pa_vatcode4	char(15)	Yes	NULL	
pa_vatcode5	char(15)	Yes	NULL	
pa_vatrate1	decimal(18,2)	Yes	0.00	
pa_vatrate2	decimal(18,2)	Yes	0.00	
pa_vatrate3	decimal(18,2)	Yes	0.00	
pa_vatrate4	decimal(18,2)	Yes	0.00	

pa_vatrate5	decimal(18,2)	Yes	0.00	
f_timestamp	timestamp	No	CURRENT_TIMESTAMP	
pa_sales_nom1	char(30)	Yes	NULL	
pa_sales_nom2	char(30)	Yes	NULL	
pa_sales_nom3	char(30)	Yes	NULL	
pa_sales_nom4	char(30)	Yes	NULL	
pa_sales_nom5	char(30)	Yes	NULL	
pa_sales_nom6	char(30)	Yes	NULL	
pa_sales_nom7	char(30)	Yes	NULL	
pa_sales_nom8	char(30)	Yes	NULL	
pa_sales_nom9	char(30)	Yes	NULL	
pa_sales_nom10	char(30)	Yes	NULL	
pa_sales_nom11	char(30)	Yes	NULL	
pa_sales_nom12	char(30)	Yes	NULL	
pa_sales_nom13	char(30)	Yes	NULL	
pa_sales_nom14	char(30)	Yes	NULL	
pa_sales_nom15	char(30)	Yes	NULL	
pa_purchase_nom1	char(30)	Yes	NULL	
pa_purchase_nom2	char(30)	Yes	NULL	
pa_purchase_nom3	char(30)	Yes	NULL	
pa_purchase_nom4	char(30)	Yes	NULL	
pa_purchase_nom5	char(30)	Yes	NULL	
pa_purchase_nom6	char(30)	Yes	NULL	
pa_purchase_nom7	char(30)	Yes	NULL	
pa_purchase_nom8	char(30)	Yes	NULL	
pa_purchase_nom9	char(30)	Yes	NULL	
pa_purchase_nom10	char(30)	Yes	NULL	
pa_purchase_nom11	char(30)	Yes	NULL	
pa_purchase_nom12	char(30)	Yes	NULL	
pa_purchase_nom13	char(30)	Yes	NULL	
pa_purchase_nom14	char(30)	Yes	NULL	
pa_purchase_nom15	char(30)	Yes	NULL	

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	f_rn	0	A	No	

tblproducts

Column	Type	Null	Default	Comments
f_rn	bigint(20)	No		
pr_code	char(25)	Yes	NULL	
pr_desc1	char(75)	Yes	NULL	
pr_desc2	char(75)	Yes	NULL	
pr_notes	text	Yes	NULL	
pr_onsales	decimal(18,2)	Yes	NULL	
pr_onpurchases	decimal(18,2)	Yes	NULL	
pr_cost	decimal(18,2)	Yes	NULL	
pr_sell	decimal(18,2)	Yes	NULL	
f_timestamp	timestamp	No	CURRENT_TIMESTAMP	

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	f_rn	2	A	No	

tblpurchases_d

Column	Type	Null	Default	Comments
f_rn	bigint(20)	No		
pd_purchase_rn	bigint(20)	Yes	NULL	
pd_line_num	int(11)	Yes	NULL	
pd_sales_rn	bigint(20)	Yes	NULL	
pd_code	char(25)	Yes	NULL	
pd_desc1	char(75)	Yes	NULL	
pd_desc2	char(75)	Yes	NULL	
pd_notes	text	Yes	NULL	
pd_qty_ordered	decimal(18,2)	Yes	NULL	
pd_qty_received	decimal(18,2)	Yes	NULL	
pd_qty_aba	decimal(18,2)	Yes	NULL	
pd_balance	decimal(18,2)	Yes	NULL	
pd_each_price	decimal(18,2)	Yes	NULL	
pd_line_total	decimal(18,2)	Yes	NULL	
f_timestamp	timestamp	No	CURRENT_TIMESTAMP	

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	f_rn	3	A	No	

tblpurchases_h

Column	Type	Null	Default	Comments
f_rn	bigint(20)	No		
ph_accno	char(20)	Yes	NULL	
ph_name	char(50)	Yes	NULL	
ph_add1	char(50)	Yes	NULL	
ph_add2	char(50)	Yes	NULL	
ph_add3	char(50)	Yes	NULL	
ph_add4	char(50)	Yes	NULL	
ph_add5	char(50)	Yes	NULL	
ph_add6	char(50)	Yes	NULL	
ph_supp_ref	char(75)	Yes	NULL	
ph_date_raised	date	Yes	NULL	
ph_date_required	date	Yes	NULL	
ph_del_name	char(50)	Yes	NULL	
ph_del_add1	char(50)	Yes	NULL	
ph_del_add2	char(50)	Yes	NULL	
ph_del_add3	char(50)	Yes	NULL	
ph_del_add4	char(50)	Yes	NULL	
ph_del_add5	char(50)	Yes	NULL	
ph_del_add6	char(50)	Yes	NULL	
ph_internal_notes	text	Yes	NULL	
ph_external_notes	text	Yes	NULL	
ph_status	char(15)	Yes	NULL	
ph_vatcode	char(3)	Yes	NULL	
ph_vatper	decimal(18,2)	Yes	NULL	
ph_nettt	decimal(18,2)	Yes	NULL	
ph_vat	decimal(18,2)	Yes	NULL	
ph_total	decimal(18,2)	Yes	NULL	
ph_nom1	char(30)	Yes	NULL	
ph_nom2	char(30)	Yes	NULL	
ph_nom3	char(30)	Yes	NULL	

ph_nom4	char(30)	Yes	<i>NULL</i>	
ph_nom5	char(30)	Yes	<i>NULL</i>	
ph_nom_val1	decimal(18,2)	Yes	<i>NULL</i>	
ph_nom_val2	decimal(18,2)	Yes	<i>NULL</i>	
ph_nom_val3	decimal(18,2)	Yes	<i>NULL</i>	
ph_nom_val4	decimal(18,2)	Yes	<i>NULL</i>	
ph_nom_val5	decimal(18,2)	Yes	<i>NULL</i>	
f_timestamp	timestamp	No	CURRENT_TIMESTAMP	

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	f_rn	3	A	No	

tblquote_d

Column	Type	Null	Default	Comments
f_rn	bigint(20)	No		
qd_quoteh_rn	bigint(20)	No		
qd_sales_rn	bigint(20)	Yes	<i>NULL</i>	
qd_line_num	int(11)	Yes	<i>NULL</i>	
qd_code	char(25)	Yes	<i>NULL</i>	
qd_desc1	char(75)	Yes	<i>NULL</i>	
qd_desc2	char(75)	Yes	<i>NULL</i>	
qd_notes	text	Yes	<i>NULL</i>	
qd_qty_ordered	decimal(18,2)	Yes	<i>NULL</i>	
qd_each_price	decimal(18,2)	Yes	<i>NULL</i>	
qd_line_total	decimal(18,2)	Yes	<i>NULL</i>	
f_timestamp	timestamp	No	CURRENT_TIMESTAMP	

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	f_rn	1	A	No	

tblquote_h

Column	Type	Null	Default	Comments
f_rn	bigint(20)	No		

qh_accno	char(20)	Yes	NULL	
qh_name	char(50)	Yes	NULL	
qh_add1	char(50)	Yes	NULL	
qh_add2	char(50)	Yes	NULL	
qh_add3	char(50)	Yes	NULL	
qh_add4	char(50)	Yes	NULL	
qh_add5	char(50)	Yes	NULL	
qh_add6	char(50)	Yes	NULL	
qh_cust_ref	char(75)	Yes	NULL	
qh_raised_by	char(40)	Yes	NULL	
qh_date_raised	date	Yes	NULL	
qh_date_required	date	Yes	NULL	
qh_del_name	char(50)	Yes	NULL	
qh_del_add1	char(50)	Yes	NULL	
qh_del_add2	char(50)	Yes	NULL	
qh_del_add3	char(50)	Yes	NULL	
qh_del_add4	char(50)	Yes	NULL	
qh_del_add5	char(50)	Yes	NULL	
qh_del_add6	char(50)	Yes	NULL	
qh_internal_notes	text	Yes	NULL	
qh_external_notes	text	Yes	NULL	
qh_status	char(15)	Yes	NULL	
qh_vatcode	char(3)	Yes	NULL	
qh_vatper	decimal(18,2)	Yes	NULL	
qh_net	decimal(18,2)	Yes	NULL	
qh_vat	decimal(18,2)	Yes	NULL	
qh_total	decimal(18,2)	Yes	NULL	
f_timestamp	timestamp	No	CURRENT_TIMESTAMP	

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	f_rn	3	A	No	

tblsales_d

Column	Type	Null	Default	Comments
f_rn	bigint(20)	No		

sd_sales_rn	bigint(20)	Yes	NULL	
sd_line_num	int(11)	Yes	NULL	
sd_code	char(25)	Yes	NULL	
sd_desc1	char(75)	Yes	NULL	
sd_desc2	char(75)	Yes	NULL	
sd_notes	text	Yes	NULL	
sd_qty_ordered	decimal(18,2)	Yes	NULL	
sd_qty_desp	decimal(18,2)	Yes	NULL	
sd_qty_inv	decimal(18,2)	Yes	NULL	
sd_qty_aba	decimal(18,2)	Yes	NULL	
sd_balance	decimal(18,2)	Yes	NULL	
sd_each_price	decimal(18,2)	Yes	NULL	
sd_line_total	decimal(18,2)	Yes	NULL	
f_timestamp	timestamp	No	CURRENT_TIMESTAMP	

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	f_rn	3	A	No	

tblsales_h

Column	Type	Null	Default	Comments
f_rn	bigint(20)	No		
sh_accno	char(20)	Yes	NULL	
sh_name	char(50)	Yes	NULL	
sh_add1	char(50)	Yes	NULL	
sh_add2	char(50)	Yes	NULL	
sh_add3	char(50)	Yes	NULL	
sh_add4	char(50)	Yes	NULL	
sh_add5	char(50)	Yes	NULL	
sh_add6	char(50)	Yes	NULL	
sh_cust_ref	char(75)	Yes	NULL	
sh_date_raised	date	Yes	NULL	
sh_date_required	date	Yes	NULL	
sh_del_name	char(50)	Yes	NULL	
sh_del_add1	char(50)	Yes	NULL	
sh_del_add2	char(50)	Yes	NULL	

sh_del_add3	char(50)	Yes	NULL	
sh_del_add4	char(50)	Yes	NULL	
sh_del_add5	char(50)	Yes	NULL	
sh_del_add6	char(50)	Yes	NULL	
sh_internal_notes	text	Yes	NULL	
sh_external_notes	text	Yes	NULL	
sh_status	char(15)	Yes	NULL	
sh_vatcode	char(3)	Yes	NULL	
sh_vatper	decimal(18,2)	Yes	NULL	
sh_net	decimal(18,2)	Yes	NULL	
sh_vat	decimal(18,2)	Yes	NULL	
sh_total	decimal(18,2)	Yes	NULL	
sh_nom1	char(30)	Yes	NULL	
sh_nom2	char(30)	Yes	NULL	
sh_nom3	char(30)	Yes	NULL	
sh_nom4	char(30)	Yes	NULL	
sh_nom5	char(30)	Yes	NULL	
sh_nom_val1	decimal(18,2)	Yes	NULL	
sh_nom_val2	decimal(18,2)	Yes	NULL	
sh_nom_val3	decimal(18,2)	Yes	NULL	
sh_nom_val4	decimal(18,2)	Yes	NULL	
sh_nom_val5	decimal(18,2)	Yes	NULL	
f_timestamp	timestamp	No	CURRENT_TIMESTAMP	

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	f_rn	2	A	No	

tblstkmove

Column	Type	Null	Default	Comments
f_rn	bigint(20)	No		
sm_code	char(25)	Yes	NULL	
sm_desc	char(75)	Yes	NULL	
sm_opening	decimal(18,2)	Yes	NULL	
sm_issue	decimal(18,2)	Yes	NULL	
sm_receive	decimal(18,2)	Yes	NULL	

sm_closing	decimal(18,2)	Yes	<i>NULL</i>	
sm_reference	char(75)	Yes	<i>NULL</i>	
sm_date	date	Yes	<i>NULL</i>	
f_timestamp	timestamp	No	CURRENT_TIMESTAMP	

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	f_rn	0	A	No	

tblsuppliers

Column	Type	Null	Default	Comments
f_rn	bigint(20)	No		
su_accno	char(20)	Yes	<i>NULL</i>	
su_name	char(50)	Yes	<i>NULL</i>	
su_add1	char(50)	Yes	<i>NULL</i>	
su_add2	char(50)	Yes	<i>NULL</i>	
su_add3	char(50)	Yes	<i>NULL</i>	
su_add4	char(50)	Yes	<i>NULL</i>	
su_add5	char(50)	Yes	<i>NULL</i>	
su_add6	char(50)	Yes	<i>NULL</i>	
su_telno	char(30)	Yes	<i>NULL</i>	
su_faxno	char(30)	Yes	<i>NULL</i>	
su_email	char(150)	Yes	<i>NULL</i>	
su_vatcode	char(3)	Yes	<i>NULL</i>	
su_notes	text	Yes	<i>NULL</i>	
f_timestamp	timestamp	No	CURRENT_TIMESTAMP	

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	f_rn	2	A	No	

tblsupppay

Column	Type	Null	Default	Comments
f_rn	bigint(20)	No		
sp_bank_ref	char(30)	Yes	<i>NULL</i>	

sp_grnh_rn	bigint(20)	No	0	
sp_purchase_rn	bigint(20)	Yes	NULL	
sp_accno	char(20)	Yes	NULL	
sp_name	char(50)	Yes	NULL	
sp_supp_ref	char(75)	Yes	NULL	
sp_date_raised	date	Yes	NULL	
sp_vatper	decimal(18,2)	No	0.00	
sp_net	decimal(18,2)	No	0.00	
sp_vat	decimal(18,2)	No	0.00	
sp_total	decimal(18,2)	Yes	NULL	
f_timestamp	timestamp	No	CURRENT_TIMESTAMP	
f_nom1	char(20)	Yes	NULL	
f_nom2	char(20)	Yes	NULL	
f_nom3	char(20)	Yes	NULL	
f_nom4	char(20)	Yes	NULL	
f_nom5	char(20)	Yes	NULL	
f_nom6	char(20)	Yes	NULL	
f_nom7	char(20)	Yes	NULL	
f_nom8	char(20)	Yes	NULL	
f_nom9	char(20)	Yes	NULL	
f_nom10	char(20)	Yes	NULL	
f_nom11	char(20)	Yes	NULL	
f_nom12	char(20)	Yes	NULL	
f_nom13	char(20)	Yes	NULL	
f_nom14	char(20)	Yes	NULL	
f_nom15	char(20)	Yes	NULL	
f_net1	decimal(18,2)	No	0.00	
f_net2	decimal(18,2)	No	0.00	
f_net3	decimal(18,2)	No	0.00	
f_net4	decimal(18,2)	No	0.00	
f_net5	decimal(18,2)	No	0.00	
f_net6	decimal(18,2)	No	0.00	
f_net7	decimal(18,2)	No	0.00	
f_net8	decimal(18,2)	No	0.00	
f_net9	decimal(18,2)	No	0.00	
f_net10	decimal(18,2)	No	0.00	
f_net11	decimal(18,2)	No	0.00	

f_net12	decimal(18,2)	No	0.00	
f_net13	decimal(18,2)	No	0.00	
f_net14	decimal(18,2)	No	0.00	
f_net15	decimal(18,2)	No	0.00	

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	f_rn	2	A	No	

tbluseraccts

Column	Type	Null	Default	Comments
f_rn	bigint(20)	No		
ua_dashboard_open_quotes	char(3)	No	No	
ua_dashboard_open_sales	char(3)	No	No	
ua_dashboard_uninv_desp	char(3)	No	No	
ua_dashboard_unpaid_sales	char(3)	No	No	
ua_dashboard_unpaid_purchases	char(3)	No	No	
ua_products	char(3)	No	No	
ua_customers	char(3)	No	No	
ua_suppliers	char(3)	No	No	
ua_quotes	char(3)	No	No	
ua_sales	char(3)	No	No	
ua_sales_desp	char(3)	No	No	
ua_sales_invoice	char(3)	No	No	
ua_payments_received	char(3)	No	No	
ua_despatches	char(3)	No	No	
ua_invoices	char(3)	No	No	
ua_credits	char(3)	No	No	
ua_purchases	char(3)	No	No	
ua_payments_made	char(3)	No	No	
ua_cashbook	char(3)	No	No	
ua_parameters	char(3)	No	No	
ua_users	char(3)	No	No	
ua_login	char(20)	Yes	NULL	
ua_fullname	char(40)	Yes	NULL	
ua_email_addr	char(150)	Yes	NULL	

ua_password	char(25)	Yes	NULL	
f_timestamp	timestamp	No	CURRENT_TIMESTAMP	

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	f_m	5	A	No	